## View Fields and Description of Field

Go to transaction SE16 and enter table name

Data Browse	Data Browser: Initial Screen				
iii 🗅 🔟 İ					
Table Name	EBAN				
	$\searrow$				
Salact Tabla Contant b					

Select Table Content button

## Select fields to run query

Go to Settings  $\rightarrow$  "Fields for Selection" to view the fields in table

: <u>G</u> oto	<u>Settings</u> System	Help
	Format <u>L</u> ist	ំងសំនេះ ភូមិសំន
	<u>U</u> ser Parameters	
er: Tab	Fields for Selection	Screen
nber of Entr	ies	

This pop shows the field name and a description of the field.

Choose Fields for Selection		X
Table Fields for Sele	ction	· · · · · · · · · · · · · · · · · · ·
BANFN BNFPO BSART BSTYP BSAKZ ✓ LOEKZ ✓ STATU ESTKZ FRGKZ FRGZU FRGST EKGRP ERNAM ERDAT	Purchase Requisition Item of Requisition Document Type Purch. Doc. Category Control indicator Deletion Indicator Processing status Creation Indicator Release indicator Release status Release Strategy Purchasing Group Created by Changed on	

Select the following button to clear all selections

Then select the fields you would like to run the query.

Choose Fields for Selection		x
Table Fields for Selectio	n	*
BANFN BNFPO BSART BSTYP BSAKZ ✓ LOEKZ FRGKZ FRGKZ FRGKZ FRGST EKGRP EKRAM ERDAT	Purchase Requisition Item of Requisition Document Type Purch. Doc. Category Control indicator Deletion Indicator Processing status Creation Indicator Release indicator Release status Release Strategy Purchasing Group Created by Changed on	
		✓ A = A ×



You will now see the fields you would like to search.

Data Browser: Table EBAN: Selection Screen						
🐼 🛟 🔁 🚺 Number of Entries						
LOEKZ STATU WERKS BADAT KNTTP		to to to to to				
Width of Output List Maximum No. of Hits	250 500					
$\searrow$						

Carry out the same selection in Settings  $\rightarrow$  Format List  $\rightarrow$  Choose Fields. This will reduce the output of the results to just the selected fields.

¢	<u>P</u> rogram	<u>E</u> dit	<u>G</u> oto	<u>S</u> ettings	System	Help
	Sor <u>t</u>			Format <u>L</u> ist		M (8) (2) 1
	Choose <u>F</u> ields		User Parameters			
Data Browser: Tab				Field <u>s</u> for	Selection	Screen
🚱 🗞 🔁 🚺 Number of Entries						

Fiel	d Name	Field Label	
MANDT		Client	
BANFN		Purchase Reguisition	
BNFPO		Item of Requisition	
BSART		Document Type	
BSTYP		Purch. Doc. Category	
BSAKZ		Control indicator	
LOEKZ		Deletion Indicator	
STATU		Processing status	
ESTKZ		Creation Indicator	
FRGKZ		Release indicator	
FRGZU		Release status	
FRGST		Release Strategy	
EKGRP		Purchasing Group	
ERNAM		Created by	
ERDAT		Changed on	
AFNAM		Requisitioner	



Then select the fields you want to view in the output.

E Choose Fields for Selection		X
Table Fields for Select	tion	
BANFN BNFPO BSART BSTYP BSAKZ ✓ LOEKZ ✓ STATU ESTKZ FRGKZ FRGST EKGRP ERNAM ERDAT	Purchase Requisition Item of Requisition Document Type Purch. Doc. Category Control indicator Deletion Indicator Processing status Creation Indicator Release indicator Release status Release Strategy Purchasing Group Created by Changed on	
	1	



Confirm screen

Once confirmed execute the transaction and select one of the ro

and select one of the rows from the output.

Dá	ata Bı	owse	r: Tabl	e EBAN Se	elect E	Intries	500
66	9 = 1	-	<b>91</b>	Check Table			
Tak Dis	ole: splayed	d Field	EBAN ds: 5	of 5	Fix	ked Columns:	
	LOEKZ	STATU	WERKS	BADAT	KNTTP		N
		В	9994	21.03.2015	X		7
Н		B	9994 9994	21.03.2015	X X		

LOEKZ	STATU	WERKS	BADAT	KNTTP	
	B B B	9994 9994 9994	21.03.2015 21.03.2015 21.03.2015	X X X	



to change the view of the row

Table EBAN Display					
Check Table					
MANDT	400				
BANFN	1000000				
BNFPO	10				
BSART	NB				
BSTYP	В				
BSAKZ					
LOEKZ					
STATU					
ESTKZ	V				
FRGKZ					
FRGZU					
FRGST					
EKGRP	A02				
ERNAM	DATA_SALES				
ERDAT	21.03.2015				
AFNAM					
TXZ01	THE DETANGLR BRUSH CLASSIC PNK				
MATNR	915696				
EMATN					
WERKS	9994				
LGORT	0001				

You can then select the fields you wish to use in your query to see possible values.

LOEKZ	
STATU	BR
ESTKZ	V

🕞 Processing status of purchase requisiti						
	Processing status of purch					
Processing status	Short Descript.					
N	Not edited					
В	PO created					
A	RFQ created					
К	Contract created					
L	Scheduling agreement created					
S	Service entry sheet created					
E	RFQ sent to external system for sourc					

BUMNG	0	
BADAT	21.03.2015	
LPEIN	1	
LFDAT	23.05.2015	

⊡ Ca	alendar								X
21.03	.2015	l	1 <sup>r</sup>						÷
20	WN 4 5	MO 19 26	TU 20 27	WF 21 28	TH 22 29	FR 23 30	SA 24 31	SU 25 1	*
015/2	6 7 8	2 9 16	3 10 17	4 11 18	5 12 19	6 13 20	7 14 21	8 15 22	
5/3 20	9 10 11	23	24 3	25 4 11	26 5 12	27 6	28 7 14	1 8 15	
201	12 13	16 23	17 24 21	18 25	19 26	20 27	<b>21</b> 28	22 29	
2015/4	15 16 17	6 13 20	7 14 21	8 15 22	9 16 23	10 17 24	11 18 25	12 19 26	
15/5	18 19 20	27 4 11	28 5 12	29 6 13	30 7 14	1 8 15	2 9 16	3 10 17	*
								1	×

Return to the initial screen

Data Browser: Table EBAN: Selection Screen								
🚯 🎲 🔁 🚺 Number of Entries								
LOEKZ STATU WERKS BADAT KNTTP		to to to to	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
Width of Output List Maximum No. of Hits	250 500							
$\searrow$								

Test the query you with to make

Data Browser: Table EBAN: Selection Screen								
🕼 🎲 🔁 🚺 Number of Entries								
LOEKZ STATU WERKS BADAT KNTTP	9000 26.10.2016 A	to to to to to Z	1 1 1 1 1 1 1					
Width of Output List Maximum No. of Hits	250 500							
	Ν							



🖻 Display Number of Entries		×
Number of entries which meet the selection criteria: 6,782	νς	ר ב
		Close

Execute to see the output of your query

Data Browser: Table EBAN Select Entries 500									
&? 🥰 🚔 🐺 🚯 🔂 🚺 Check Table									
Table:       EBAN         Displayed Fields:       5 of       5       Fixed Columns:       1       List Width 0250									
	LOEKZ	STATU	WERKS	BADAT	KNTTP				
		B B B B B B B	9993 9993 9993 9993 9993 9993 9993	26.10.2016 26.10.2016 26.10.2016 26.10.2016 26.10.2016 26.10.2016 26.10.2016					

## Configure PowerConnect Table Reader

In transaction /n/bnwvs/main go to Administrator  $\rightarrow$  Setup Metric  $\rightarrow$  Table reader filter



<ul> <li>• «</li> </ul>	🖨   🔊 📎 🌑   🚍	n n ta 12 1 a 1 a 1 🗾 🗾	C 🖷					
Change View "Table definition": Overview								
💖 New Entries 👔 🖶 🖙 💽 🖪	R							
Dialog Structure	Table definition							
Table definition	Table Name	Filter name	Active					
· Elect conditions	EBAN	Count of Records						
· 🚞 Field values to get	VBRK							
	N							
	12							



Select "New Entries

Enter Table name and a unique description and select "Active"

New Entries: Overview of Added Entries							
°≱ <b>E</b> , <b>E</b> , <b>E</b> , <b>E</b> , <b>E</b> ,							
Dialog Structure	Table definition						
Table definition	Table Name	Filter name	Active				
• Select conditions	EBAN	DC Created	✓				
· Field values to get	N <sup>2</sup>						
	Y		. 🗆				
	Y						



Highlight the new entry and double-click "Select Conditions"



Change View "Select conditions": Overview								
🤣 New Entries 🗈 🗟 🖙 🕃 🕵								
Dialog Structure	Table Name	EBAN		7				
Table definition	Filter name	DC Created						
<ul> <li>Select conditions</li> </ul>	The Hame	De created						
• Field values Open folder	Select conditions							
	Field Name		INCL/EXCL	Option	Low	High		



New Entries: Overview of Added Entries								
** <b>=</b> = = =								
Dialog Structure •  Table definition	Table Name Filter name	EBAN DC Created						
Select conditions     End values to get	Select conditions							
	Field Name		INCL/EXCL	Option	Low	High		
	R. C.		S S	S N				
N	N N		K K	K K				
43	K R		X IX	X IX				

Enter Field Names you wish to use in your query.

Dialog Structure	Table Name	EBAN				
Table definition	Filter name	DC Created				
<ul> <li>Select conditions</li> </ul>						
· Field values to get	Select conditions					
	Field Name		INCL/EXCL	Option	Low	High
	BADAT		Y			
	WERKS		Y	Y		
	KNTTP		Y	Y		
	Z		Y	Y		
	K		K	Y		

Select I or E to state if the excluding or including the values. Use "F1" for detailed information about "Options" Values.

🕞 Performance Assistant	X
ABAP: Selection option (EQ/BT/CP/)	^
Definition	
The operators determine whether the specified values are used as a single value, a range or a search pattern when restricting the data selection. These operators work together with the fields lower limit (From), upper limit (To) and the include/exclude criterion (I/E).	
The following operators may be used:	
EQ Equal BT BeTween LE Less Equal GE Greater Equal CP Contains Pattern	
EQ	
Selects a single value, that is precisely the value that you specify.	
Example:	
SMITHEQ_ returns the value SMITH. Underscores stand for blank input fields.	
вт	
Interprets the two values specified as lower and upper limits of a range.	
Example:	~

If you are using a date or time field you can use the following vales

DATE: \$today, if you wish to select a different day you can use the "-" followed by a numeric value. e.g. \$today-1 is yesterday, \$today-2 is two days ago

TIME: \$now, if you wish to select a different time you can use the "-" followed by a numeric value. e.g. \$now-1 is the last hour, \$today-2 is two hours ago

You can use the option BT (between) to select a date or time range

Table Name	EBAN					
Filter name	DC Created					
Select conditions						
Field Name		INCL/EXCL	Option	Low	High	
BADAT		I	EQ	\$today		
WERKS		I	$_{\rm BT}$	9000	9999	
KNTTP		Е	BT	A	z	
Y		Y	Y			_
Y		⊻.	Y			
Z		⊻.	Y			
7		2	2			

In the example above I have set to include BADAT = today, include WERKS where values are between 9000 and 9999, exclude KNTTP when the value is between A to Z.



If you would like to extract values from specific fields, double-click

Change View "Field values to get": Overview								
6 New Entries 🗈 🖶 🖘 💽 🕵								
Dialog Structure Table definition Select conditions	Table Name Filter name	EBAN DC Created						
• Field valves to get	Field values to get Field Name		• •					



New Entries: Overview of Added Entries							
°≫ == == == ==							
Dialog Structure   Table definition   Select conditions	Table Name Filter name	EBAN DC Created					
· 📂 Field values to get	Field values to get Field Name BADAT WERKS KNTTP						

	c	B	
--	---	---	--

## Specify TREAD and TREAD\_DYN definition

Go to Administrator  $\rightarrow$  Setup Group Def

anel	<u>A</u> dministrator	<u>G</u> oto	System	<u>H</u> elp
	<u>S</u> etup Global C			
	Setup Group D			
onn	Setup Task Gro			
	App Log Level		<b>C</b>	
reen	Setup <u>M</u> etric	+ Colle	ector 🐔	
na	Setun Unloader			

Scroll down to TREAD and TREAD\_DYN. By default TREAD\_DYN is active and is used when you are extracting values from fields.

TREAD can be used when you are not extracting values and will just send a DBCOUNT result of the number of entries that match your query.

	SOTIN	7200	2000	1200	✓	
$\mathbf{\langle}$	TREAD	600	3600	3600	$\checkmark$	
15	TREAD_DYN	3600	3600	3600	<ul><li>✓</li></ul>	
	LISR41RAK	120	120	120		